




ARCHITECTURAL concepts  
GLASS SHOWER ENCLOSURE  
FULLERTON - 5/16" FROSTED GLASS  
BYPASS SHOWER DOOR



## REALIZE YOUR IMAGINATION

### TABLE OF CONTENTS

- Page 2 - Layout Options
- Page 3 - Elevation Options
- Page 4 - Hardware Series






# GLASS SHOWER ENCLOSURE FULLERTON - 5/16" FROSTED GLASS ARCHITECTURAL BYPASS SHOWER DOOR



BYPASS SLIDING LAYOUT Available in 5/16" (8mm). 1/2" (12mm) glass is not recommended.



#### SPECIFICATONS:

- \* Max height is 78" OA (top of header to curb)
- \* Panels overlap by 2" (overall width/2) + 1" to get overall panel width
- \* Low iron is available upon request
- \* Sealer available upon request. This makes cleaning the glass easier.




# GLASS SHOWER ENCLOSURE FULLERTON - 5/16" FROSTED GLASS ARCHITECTURAL BYPASS SHOWER DOOR




## GLASS DOOR AND PANEL DIMENSIONS

### NOTES:

1. 54" MIN. 59" MAX.
2. 29 1/2" WALK-THROUGH CLEARANCE.
3. WIDTH OF WALK-THROUGH CLEARANCE + 2".
4. GLASS AVAILABLE IN 5/16" (8MM) TEMPERED. 1/2" (12MM) GLASS IS NOT RECOMMENDED.
5. PANELS OVERLAP BY 2".
6. SEALER AVAILABLE UPON REQUEST.



## ELEVATION



## PLAN



ARCHITECTURAL concepts  
 FULLERTON - 5/16" FROSTED GLASS BYPASS SHOWER DOOR  
 GLASS SHOWER ENCLOSURE



HARDWARE

A C B M N W 1 8



18" TOWEL BAR

A C M O 6 3 1 2



12" BACK TO BACK PULL

A C H U 6 3 0 8



8" BACK TO BACK PULL



METAL TRACK



SILL W/ FLOOR GUIDE  
 (USE A SILL WHEN THERE IS NO SLOPED CURB)

A C D M 6 3 1 2



12" BACK TO BACK PULL

A C O J 6 3 0 8



8" BACK TO BACK PULL

A C N E 6 3 1 2



12" BACK TO BACK PULL



FLOOR GUIDE



TROLLEY



GLASS DOOR EDGE PROTECTOR

**NOTE: DEPENDING ON APPLICATION ALL SHOWER ENCLOSURES WILL COME WITH ADJUSTABLE TROLLEY**