

AC8000 Series

Barn Door Hardware

OPTIONS



Model: AC8000-A

Description: Top Mounted Trolley **Finish:** Powder Coated Bronze Steel



Model: AC8000-B

Description: Face Mounted Trolley **Finish:** Powder Coated Bronze Steel

Description:

Powder Coated Bronze Steel sliding barn door system with track and hardware. Handing to be verified by GC or Architectural Concepts. Door to be at least 2" wider than finished opening to properly overlap each side for privacy. Max weight of door is 220 lbs.

OPTIONAL PULLS (not part of AC8000)



Model: AC5324

Description: 24" BTB or Single Sided **Finish:** Brushed or Polished Chrome

DOOR STOP (included)



CONCEALED FLOOR GUIDE



Model: AC

Description: Floor Mounted

Finish: Plastic

See Catalog for options at: archeonceptsllc.com/products/doors/hardware/pulls/

AC8000-A

Architectural Concepts


888.248.2724 720.259.5358 info@archconceptsllc.com

18499 Longs Way, Suite 102 Parker, CO 80134


archconceptsllc.com

AC8000-A


Barn Door




ELEVATION




HANGER



DOOR STOP






KEYNOTES:

- A. Metal track
- B. Door stop
- C. Trolley hardware
- D. Track mount hardware
- E. Floor quide
- F. Pull handle
- G. 2" side of door overlap at closed position
- H. 4" side of door overlap at open position
- J. Wood door

NOTES:


- 1. All measurements must be field verified by Architectural Concepts or by G.C.
- 2. Please follow care and handling instructions for doors and hardware.
- 3. AC will submit drawings for approval before ordering any material.
- 4. Layout and configuration can be customized to customer's need.

FLOOR MOUNT



KEYNOTES:

- A. Wood door B. Finish floor
- C. Recommended 1/2" to 1" of the door guide protrudes from the door edge
- D. Floor guide






Architectural Concepts

AC8000-B

Barn Door




KEYNOTES:

- A. Metal track
- B. Door stop
- C. Trolley hardware
- D. Track mount hardware
- E. Floor quide
- F. Pull handle
- G. 2" side of door overlap at closed position
- H. 4" side of door overlap at open position
- J. Wood door


NOTES:

- 1. All measurements must be field verified by Architectural Concepts or by G.C.
- 2. Please follow care and handling instructions for doors and hardware.
- 3. AC will submit drawings for approval before ordering any material.
- 4. Layout and configuration can be customized to customer's need.


ELEVATION




HANGER




DOOR STOP







FLOOR MOUNT



KEYNOTES:

- A. Wood door B. Finish floor
- C. Recommended 1/2" to 1" of the door guide protrudes from the door edge
- D. Floor guide







Architectural Concepts